



Scientific Documentation

CA194, Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP

Not appropriate for regulatory submission.
Please visit www.spectrumchemical.com or
contact Tech Services for the most up-to-date
information contained in this information
package.

Spectrum Chemical Mfg Corp

769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

A handwritten signature in blue ink, appearing to read "Alan Wang", with a large, sweeping loop at the end.

Alan Wang, MSQA, ASQ CQA
Senior Manager of Technical Services
techservices@spectrumchemical.com

CA194, Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution
@ 25 DEG C: 1500-3000 cP, USP

Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Certification of Quality Mangement System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- General Label Information – Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability – Shelf Life Guidance



Specification for Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP (CA194)

Item Number	CA194
Item	Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP
CAS Number	9004-32-4
Molecular Formula	
Molecular Weight	
MDL Number	
Synonyms	Base H ; Carmellose Sodium ; Cellulose, Carboxymethyl Ether Sodium Salt ; Sodium

Test	Specification	
	Min	Max
SODIUM (DRIED BASIS)	6.5 - 9.5%	
pH OF A 1 % SOLUTION @ 25°C	6.5 - 8.5	
LOSS ON DRYING		10.0%
HEAVY METALS		0.002%
VISCOSITY OF 1% AQUEOUS SOLUTION @25°C	1,500 - 3,000 cp	
IDENTIFICATION	TO PASS TEST	
RETEST DATE		
RESIDUAL SOLVENTS	TO PASS TEST	

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

SAFETY DATA SHEET

Preparation Date: 1/22/2015

Revision Date: 1/22/2015

Revision Number: G1

Product identifier

Product code:

CA194

Product Name:

CARBOXYMETHYLCELLULOSE SODIUM, HIGH VISCOSITY, VISCOSITY OF 1 PERCENT AQUEOUS SOLUTION @ 25 DEG C: 1500-3000 CPS, USP

Other means of identification

Synonyms:

Carmellose Sodium
Cellulose, Carboxymethyl Ether, Sodium Salt
Sodium Carboxymethylcellulose
Carboxymethylcellulose, sodium salt
Cellulose sodium glycolate
Cellulose glycolic acid, sodium salt
Sodium CMC;
Sodium CM-cellulose;
Sodium cellulose glycolate;
Sodium glycolate cellulose;
Sodium salt of carboxymethylcellulose
Aquaplast; Carmethose; Cellofas; Cellpro; CMC sodium salt; Collowel; Ethoxose;
Lovosa; NaCm-cellulose salt; Tylose C

CAS #:

9004-32-4

RTECS #

FJ5950000

CI#:

Not available

Recommended use of the chemical and restrictions on use

Recommended use:

No information available.

Uses advised against

No information available

Supplier:

Spectrum Chemicals and Laboratory Products, Inc.
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At:

<https://www.spectrumchemical.com>

Emergency telephone number

Chemtrec 1-800-424-9300

Contact Person:

Martin LaBenz (West Coast)

Contact Person:

Ibad Tirmiz (East Coast)

Product code: CA194

Product name:

CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

1 / 12

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Combustible dust

Label elements

Warning

May form combustible dust concentrations in air

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Carboxymethylcellulose Sodium 9004-32-4	9004-32-4	100	*

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centres in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops.

Eye Contact:

Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.

Inhalation:

Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give oxygen. Get medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms

May cause eye/skin irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhoea.

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

2 / 12

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES**Extinguishing Media**

Suitable Extinguishing Media: Carbon dioxide (CO₂). Dry chemical. Water spray mist or foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide; Carbon dioxide

Specific hazards: May be combustible at high temperatures. Avoid generating dust. Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Remove all sources of ignition. Avoid dust formation. Avoid dispersal of dust in the air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Nonsparking tools should be used.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

3 / 12

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Minimize dust generation and accumulation. Avoid dust formation. Dry powders can build static electricity charges when subjected to friction of transfer and mixing operations. All equipment used when handling the product must be grounded. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not ingest. Do not breathe vapours/dust. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents. Acids. Bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

U.S Occupational Exposure Limits: Not determined

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Carboxymethylcellulose Sodium - 9004-32-4	None	None	None	None

Canada

Canada Occupational Exposure Limits: Not determined

Components	Alberta	British Columbia	Ontario	Quebec
Carboxymethylcellulose Sodium - 9004-32-4	None	None	None	None

Australia and Mexico

Occupational Exposure Limits for Australia and Mexico: Not determined

Components	Australia	Mexico
Carboxymethylcellulose Sodium 9004-32-4	None	None

Appropriate engineering controls

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

4 / 12

Engineering measures to reduce exposure:

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e. there is no leakage from the equipment) It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in the handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment

Individual protection measures, such as personal protective equipment**Personal Protective Equipment**

- | | |
|----------------------------------|--|
| Eye protection: | Goggles. Safety glasses with side-shields. |
| Skin and body protection: | Long sleeved clothing. Chemical resistant apron. Gloves. |
| Respiratory protection: | Wear respirator with dust filter.. |
| Hygiene measures: | Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Powder.	Color: White. Off-white.
Odor: Odorless.	Taste No information available	Formula: No information available
Molecular/Formula weight: No information available	Flash point (°C): No data available	Flashpoint (°C/°F): No information available.
Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available
Autoignition Temperature (°C/°F): 360-370 °C/680-698 °F	pH: No information available	Melting point/range(°C/°F): No information available
Boiling point/range(°C/°F): No information available	Decomposition temperature(°C/°F): No information available	Specific gravity: No information available
Density (g/cm3): 1.59	Bulk density: No information available	Vapor pressure @ 20°C (kPa): No information available
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: Soluble in Water	

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents
Reactive with acids
Reacts with bases

Chemical stability

Stability: Stable at normal conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Avoid dust formation. Dust may form explosive mixture in air. Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Incompatible materials.

Incompatible Materials: Oxidizing agents. Acids. Bases.

Hazardous decomposition products: Carbon monoxide. Carbon dioxide.

Other Information

Corrosivity: No information available

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

6 / 12

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Component Information

Carboxymethylcellulose Sodium - 9004-32-4

LD50/oral/rat = 27000 mg/kg

LD50/oral/mouse = >27000 mg/kg

LD50/dermal/rabbit = >2000 mg/kg

LD50/dermal/rat = No information available

LC50/inhalation/rat = >5800 mg/m³ Inhalation LC50 Rat 4 h

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = 16000 mg/kg Oral LD50 Guinea Pig
>27000 mg/kg Oral LD50 Rabbit

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 27000mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = >27000

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = >2000mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = >5800mg/m³ (4-hr.)

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

7 / 12

Inhalation May cause irritation of respiratory tract.
Ingestion Not expected to be a health hazard
 Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated ingestion may affect the liver, urinary system, and metabolism (sodium levels)
 Repeated exposure may cause bronchitis to develop with cough, phlegm, and /or shortness of breath

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Carboxymethylcellulose Sodium	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available
STOT - repeated exposure No information available
Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Carboxymethylcellulose Sodium - 9004-32-4

Freshwater Fish Species Data: >20000 mg/l 96 h LC50 ONcorhynchus mykiss (Rainbow Trout) (Ecotox - U.S. EPA)
Water Flea Data: 87.26 mg/l 48 h EC50 Ceriodaphnia dubia (Ecotox - U.S. EPA)

Persistence and degradability: No information available
Bioaccumulative potential: No information available
Mobility: No information available

Product code: CA194

Product name:
 CARBOXYMETHYLCELLULOSE
 SODIUM, HIGH VISCOSITY,
 VISCOSITY OF 1 PERCENT AQUEOUS
 SOLUTION @ 25 DEG C: 1500-3000
 CPS, USP

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Carboxymethylcellulose Sodium	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: Not applicable
Packing Group: None
ERG No: No information available
Marine Pollutant No data available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

9 / 12

14. TRANSPORT INFORMATION

Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant No information available
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Carboxymethylcellulose Sodium</i>	Present XU	Present KE-05354	Present	Present (8)-181 (8)-185 (8)-203	Present [33850]	Present	Not present

U.S. Regulations

Carboxymethylcellulose Sodium

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 182.1745

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

10 / 12

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Carboxymethylcellulose Sodium	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
Carboxymethylcellulose Sodium	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Carboxymethylcellulose Sodium	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
Carboxymethylcellulose Sodium	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Carboxymethylcellulose Sodium	Not listed	Not listed

EU Classification

R-phrases)

not determined

S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
Carboxymethylcellulose Sodium		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

11 / 12

Indication of danger:

Not dangerous

16. OTHER INFORMATION

NFPA	HMIS	Personal Protective Equipment
------	------	-------------------------------



Health Hazard	1
Fire Hazard	1
Reactivity	0



Preparation Date: 1/22/2015
Revision Date: 1/22/2015
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: CA194

Product name:
CARBOXYMETHYLCELLULOSE
SODIUM, HIGH VISCOSITY,
VISCOSITY OF 1 PERCENT AQUEOUS
SOLUTION @ 25 DEG C: 1500-3000
CPS, USP

12 / 12



Manufacturer

Product Covered: CA194, Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan Wang", with a large, stylized loop at the end.

Alan Wang, MSQA, ASQ CQA
Senior Manager, Global Supplier Quality Assurance
qualityassurance@spectrumchemical.com

3.May.2016

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum Chemicals and Laboratory Products, Inc

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA

Additional Sites: 13915 South Main Street, Los Angeles, California, 90061, USA

755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

7400 North Oracle Road, Suite 221, Tucson, Arizona, 85704, USA

has been assessed and registered by Intertek as conforming to the requirements of


ISO 9001:2008

The quality management system is applicable to

California and New Jersey sites: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

Arizona site: Supporting Spectrum's two manufacturing facilities by: selecting and qualifying distributors of Laboratory and Safety Equipment; processing bids and quotes to generate new sales opportunities; sourcing bulk chemicals in support of bulk bids and quotes; assisting production operations through order expediting and IT infrastructure support.

Certificate Number: 94-316m-01
Initial Certification Date: 27 December 1994
Certificate Issue Date: 29 January 2016
Certificate Expiry Date: 14 September 2018



Calin Moldovean, President
Intertek Testing Services NA, Inc.
900 Chelmsford Street, Suite 301-3, Lowell, MA, USA



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-ISO 9001-2008-ANAB-EN-LT-L-26.jun.15

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001: 2008

The quality management system is applicable to:

Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.

Organization Code: 77762704-8
Certificate Number: 111310001-01
Certificate Issue Date: 17 November 2015
Certificate Expiry Date: 14 September 2018



014

Authorised Signature: Calin Moldovean – President, Business Assurance
Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The annual validity of the certificate can also be checked through the website <http://www.cnca.gov.cn> of CNCA in China.



The certificate remains the property of Intertek, to whom it must be returned upon request.



March 28, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that our USP, NF, FCC, EP, BP, JP, and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	<u>2246824</u>
Spectrum -Shanghai, China:	<u>3006174778</u>

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Weston".

Michelle Weston
Quality Assurance Specialist



April 25, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
CA194	Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum-Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Weston".

Michelle Weston
Quality Assurance Specialist



April 28, 2016

Re: Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP- CA194

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP- CA194

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



April 28, 2016

Re: Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP- CA194

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Sulfur dioxide and sulfites at concentrations of more than 10 mg/kg or 10 mg/liter expressed as SO₂; Lupin; Tree nuts; Mollusks; Wheat; Peanuts; Soy; Cereals containing Gluten; Celery; Mustard; Sesame Seed).

Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP- CA194

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



April 28, 2016

Re: Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP- CA194

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP- CA194

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

A

C

WARNING

• May form combustible (explosive) dust-air mixtures.

• Keep away from all ignition sources including heat, sparks and flame • Keep container closed and grounded • Prevent dust accumulations to minimize explosion hazard.

This material has been evaluated per GHS criteria and is not classified as hazardous under GHS. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

KEEP FROM CHILDREN

L

Retest Date: 03-31-2025

SPECTRUM[®]

CA194 **D** **F** **2.5 KG**

Carboxymethylcellulose

E **Sodium**

(Carmellose Sodium; Cellulose, Carboxymethyl Ether Sodium Salt; Sodium Carboxymethylcellulose)

Viscosity of 1% Aqueous Solution @ 25°C: 1500-3000 cP

H High Viscosity, U.S.P.

G CAS 9004-32-4

CAUTION: For manufacturing, processing or repacking. Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

K

Actual Viscosity of 1% Aqueous Solution @ 25°C 1.9 cP

Sodium (Dried Basis) 6.5-9.5%

pH of a 1% Solution @ 25°C 6.5-8.5

MAXIMUM LIMITS

Loss on Drying 10.0%

Heavy Metals 0.002%

Residual Solvents To pass test

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

M

O Lot No. 062233

G 10/D7GHS A

SPECTRUM CHEMICAL MFG. CORP. Gardena, CA 90248 • New Brunswick, NJ 08901

- | | | |
|---|--|---|
| A Bar Code | F Size/Quantity | K Empirical Formula, Formula Weight and Technical Specifications Panel |
| B GHS Hazard Pictograms | G Chemical Abstracts Service (CAS) Registry Number | L Expiration Information |
| C Warning, Safety Data and Precautionary Information | H Caution Information | M Lot Number |
| D Product Catalog Number | I DOT Shipping Information | N Kosher Certified by Kosher Supervision of America (KSA). |
| E Item Name, Form, Grade | J Toll-Free 24-Hour Chemical Emergency Telephone Number | |
| O Storage Color Band | | |

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

Item Number	CA194	Lot Number	1FB0374
Item	Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP		
CAS Number	9004-32-4		
Molecular Formula		Molecular Weight	

Test	Specification		Result
	min	max	
SODIUM (DRIED BASIS)	6.5 - 9.5%		8.4 %
pH OF A 1 % SOLUTION @ 25°C	6.5 - 8.5		7.2
LOSS ON DRYING		10.0%	5.4 %
HEAVY METALS		0.002%	<0.002 %
VISCOSITY OF 1% AQUEOUS SOLUTION @25°C	1,500 - 3,000 cP		2,560 cPs
IDENTIFICATION	TO PASS TEST		PASSES TEST
RETEST DATE			04-MAY-2016
RESIDUAL SOLVENTS	TO PASS TEST		.
CLASS 2 (SOLVENT) / METHANOL			<3000 ppm
CLASS 3 (solvent) / 2-PROPANOL			<5000 ppm
APPEARANCE			CREAM COLORED POWDER
MANUFACTURE DATE			20-SEP-2015

Spectrum Chemical Mfg Corp
14422 South San Pedro Street
Gardena 90248 CA



Certificate of Analysis Results Certified By:



Adan Hernandez
Quality Control Manager
Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

January 26, 2016

RE: Lot Numbering System

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

Example: ZI0928 = The 928th material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

- 1 = Gardena, CA Facility
- 2 = New Brunswick, NJ Facility
- 3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

Example: 2AA0706 = The 706th material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,



Michael Dang
Manager, GMP Compliance



Stability – Shelf Life Guidance

Product Covered: CA194, Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, CA194, Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP, is assigned a 6 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez
Quality Control Manager

A handwritten signature in blue ink, appearing to read "Adan R. Hernandez".

Corporate Headquarters
769 Jersey Avenue
New Brunswick, NJ 08901-3605