

### **Scientific Documentation**

PO180, Potassium Hydroxide, Pellets, NF

Not appropriate for regulatory submission. Please visit <a href="www.spectrumchemical.com">www.spectrumchemical.com</a> or contact Tech Services for the most up-to-date information contained in this information package.

#### **Spectrum Chemical Mfg Corp**

769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving the scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

Michael Dang

Director, Quality Systems & GMP Compliance

mdang@spectrumchemical.com

#### Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Manufacturing Process Flowchart
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- Product Certificate of Analysis Sample(s)
- General Label Information Sample Label
- General Lot Numbering System Guidance
- Stability Shelf Life Guidance
- HALAL Certificate



### Specification for Potassium Hydroxide, Pellets, NF (PO180)

Item Number	PO180
Item	Potassium Hydroxide, Pellets, NF
CAS Number	1310-58-3
Molecular Formula	КОН
Molecular Weight	56.11
MDL Number	
Synonyms	Caustic Potash; Potash Lye

Test	Specif	ication
	Min	Max
Total Alkali (as KOH; Total Alkali, including Max 3.5 % of K <sub>2</sub> CO <sub>3</sub> )	85.0 %	
CONTENT OF POTASSIUM	59.9 %	
pH (0.1 mg/ml)	10.5	
INSOLUBLE SUBSTANCES	COMPLETE,	
SODIUM		1.0 %
ELEMENTAL IMPURITIES	AS REPORTED	
IDENTIFICATION (A)	POSITIVE FOR	
IDENTIFICATION (B)	10.5	
CERTIFIED HALAL		
EXPIRATION DATE		
DATE OF MANUFACTURE		
APPEARANCE		
RESIDUAL SOLVENTS	AS REPORTED	

#### Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave.

New Brunswick, NJ 08901

732.214.1300

West Coast Facility: 14422 S. San Pedro St.

Gardena, CA 90248

310.516.8000





#### SAFETY DATA SHEET

Preparation Date: 3/13/2015 Revision Date: 9/12/2016 Revision Number: G2

#### 1. IDENTIFICATION

**Product identifier** 

Product code: PO180

Product Name: POTASSIUM HYDROXIDE, PELLETS, NF

Other means of identification

Synonyms: Caustic Potash
CAS #: 1310-58-3
RTECS # TT2100000
CI#: Not available

Recommended use of the chemical and restrictions on use

**Recommended use:** Electroplating; photoengraving & lithography; printing inks; in analytical chemistry

& in organic synthesis; manfufacturing of liquid soap; pharmaceutical aid (as alkalizing agent); mordant for woods; absorbing carbon dioxide; mercerizing cotton; paint & varnish removers. Principle uses of KOH include chemicals, particularly the production of potassium carbonate and potassium permaganate; pesticides, fertilizers, and other agricultural products; soaps and detergents; scrubbing and cleaning operations, e.g., industrial gases; dyes and colorants; and

rubber chemicals.

Uses advised against No information available

**Supplier:** Spectrum Chemical Mfg. Corp

14422 South San Pedro St.

Gardena, CA 90248 (310) 516-8000.

Order Online At: https://www.spectrumchemical.com

Emergency telephone numberChemtrec 1-800-424-9300Contact Person:Martin LaBenz (West Coast)Contact Person:Ibad Tirmiz (East Coast)

#### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

#### Label elements

Danger

Product code: PO180 Product name: POTASSIUM 1 / 13


HYDROXIDE, PELLETS, NF

#### **Hazard statements**

Toxic if swallowed

Causes severe skin burns and eye damage

May be corrosive to metals



#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other hazards

Reacts with water to evolve heat

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Absorb spillage to prevent material damage

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in corrosive resistant/ .? container with a resistant inner liner

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Potassium Hydroxide	1310-58-3	100

#### 4. FIRST AID MEASURES

Product code: PO180 Product name: POTASSIUM 2 / 13
HYDROXIDE, PELLETS, NF

#### First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. First aider needs to protect

himself.

**Skin Contact:** Wash off immediately with soap and plenty of water. Continue flushing with plenty of water

for at least 15 minutes. Remove all contaminated clothes and shoes. Immediate medical

attention is required. Call a physician immediately.

Eye Contact: Flush eyes with water for 15 minutes. Immediate medical attention is required. Call a

physician immediately.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. WARNING! It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled or ingested material is toxic, infectious or corrosive. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is

required. Call a physician immediately.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If victim is conscious, give water or milk. Immediate medical attention

is required. Call a physician or Poison Control Center immediately.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Severe skin and eye irritation or burns. Causes digestive (gastrointestinal) tract irritation.

May cause gastrointestinal (digestive) tract burns. May cause abdominal pain, nausea, vomiting, diarrhea. Causes chemical burns to the respiratory tract. May cause inflammation of the lungs (pneumonitis). May cause pulmonary edema. Coughing. Dyspnea (Shortness

of breath and difficulty breathing).

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

#### **Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media** 

Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire,

extinguish the fire using an agent suitable for the type of

surrounding fire.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Potassium oxides.

**Specific hazards:**No information available.

**Special Protective Actions for Firefighters** 

Specific Methods: No information available.

Product code: PO180 Product name: POTASSIUM 3 / 13

HYDROXIDE, PELLETS, NF

**Special Protective Equipment for Firefighters:** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Use

personal protective equipment. Avoid contact with skin, eyes and clothing.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers, basements or

confined areas.

#### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

**Methods for cleaning up**Sweep up and shovel. Use appropriate tools to put the spilled solid in a suitable

waste disposal container. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### **Technical Measures/Precautions:**

Use only in area provided with appropriate exhaust ventilation. Keep away from incompatible materials.

#### Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Do not breathe vapors/dust. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

#### **Technical Measures/Storage Conditions:**

Deliquescent. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

#### **Incompatible Materials:**

Oxidizing agents

Acids

Metals

Powdered metals

Organic materials

Water

**Alcohols** 

Halogens

halogenated hydrocarbons

Acid anhydrides

Acid chlorides

Nitro compounds

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Product code: PO180 Product name: POTASSIUM 4 / 13

HYDROXIDE, PELLETS, NF

#### National occupational exposure limits

#### **United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Potassium Hydroxide	1310-58-3	None	2 mg/m³ Ceiling	2 mg/m³ Ceiling	None

#### Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Potassium Hydroxide	1310-58-3	2 mg/m <sup>3</sup> Ceiling	2 mg/m³ Ceiling	2 mg/m <sup>3</sup> Ceiling	2 mg/m³ Ceiling

#### **Australia and Mexico**

Components	CAS-No.	Australia	Mexico
Potassium Hydroxide	1310-58-3	None	None

#### **Appropriate engineering controls**

**Engineering measures to reduce exposure:** Ensure adequate ventilation. Use process enclosures,

local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants

below the exposure limit.

#### Individual protection measures, such as personal protective equipment

#### **Personal Protective Equipment**

**Eye protection:** Goggles or Face-shield

**Skin and body protection:** Chemical resistant apron. Long sleeved clothing. Gloves. Boots.

**Respiratory protection:** Wear respirator with dust filter.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or

smoke. Wash hands before breaks and immediately after handling the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Appearance:Color:SolidPellets. Flakes.Colorless.

Odor:TasteFormula:Odorless.No information available.KOH

Molecular/Formula weight:Flammability:Flashpoint (°C/°F):56.11No information availableNo information available.

Flash Point Tested according to: Autoignition Temperature (°C/°F): Lower Explosion Limit (%):

Not available No information available No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): Decomposition temperature(°C/°F):

No information available 380 °C/716 °F 1384 °C/2523 °F

Product code: PO180 Product name: POTASSIUM 5 / 13 HYDROXIDE, PELLETS, NF

Boiling point/range(°C/°F): Bulk density:

No information available No information available

Specific gravity: pH

2.044 13 (1% solution)

**Evaporation rate:** Vapor density:

No information available 
No information available

Odor threshold (ppm): Partition coefficient

No information available (n-octanol/water):

No information available

Miscibility: Solubility:

No information available Easily soluble in water

Insoluble in diethyl ether

Viscosity:

Density (g/cm3):

No information available

No information available

VOC content (g/L):

Vapor pressure @ 20°C (kPa):

No information available

No information available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Reacts violently with acids, halogens, halogenated hydrocarbons, maleic anhydride, organic anhydrides, isocyanates, alkylene oxides, epichlorhydrin, aldehydes, alcohols, gylcols, phenols, cresols, caprolactum solution.

Also incompatible with nitro compounds (nitrobenzene, nitromethane, nitrogen trichloride), organic materials, acid anhydrides, acid chlorides, magnesium, peroxidized tetrahydrofuran, trichlorethylene, chlorine dioxide, maleic dicarbide, sugars.

Solid potassium hydroxide in contact with moisture or water may generate sufficient heat to ignite combustible materials.

When wet attacks metals such as aluminum, tin, lead, and zinc.

Violent reaction or ignition under appropriate conditions with acids, alcohols, p-bis(1,3-dibromoethyl) benzene,

cyclopentadiene, germanium, hyponitrous acid, maleic anhydride, nitroalkanes, 2-nitrophenol, potassium peroxodisulfate, sugars, 2,2,3,3-tetrafluoropropanol, thorium dicarbide.

Molten ortho -nitrophenol reacts violently with potassium hydroxide. When potassium hydroxide and tetrachloroethane are heated, a spontaneously flammable gas, chloroacetylene, is formed.

When phosphorus is boiled in a solution of potassium hydroxide, phosphine gas is evolved which is spontaneously flammable.

1,2-Dichloroethylene and Potassium hydroxide reaction produces chloroacetylene which is spontaneously flammable in air.

Potassium Persulfate and a little Potassium hydroxide and water will ignite.

When wet, attacks metals such as aluminum, tin, lead, and zinc, producing flammable hydrogen gas.

When heated to decomposition it emits toxic fumes of K2O.

Potentially explosive reaction with bromoform + crown ethers, chlorine dioxide, nitrobenzene, nitromethane,

nitrogen trichloride, peroxidized tetrahydrofuran, 2,4,6-trinitrotoluene.

Reaction with ammonium hexachloroplatiate(2-) + heat forms heat sensitive explosive product.

Potassium hydroxide will cause explosive decomposition of maleic anhydride.

Detonation will occur when potassiuim hydroxide is mixed with n-methyl-nitroso urea and methylene chloride.

Nitrogen trichloride explodes on contact with potassium hydroxide.

WHEN HEATED, TRICHLOROETHYLENE & POTASSIUM HYDROXIDE FORM EXPLOSIVE MIXT OF

DICHLOROACETYLENE.

NITROGEN TRICHLORIDE EXPLODES ON CONTACT WITH CONCENTRATED POTASSIUM HYDROXIDE.

**Chemical stability** 

**Stability:** Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

**Conditions to avoid:** Exposure to moisture. Exposure to moist air. Incompatible materials.

Incompatible Materials: Oxidizing agents

Acids Metals

Powdered metals Organic materials

Product code: PO180 Product name: POTASSIUM 6 / 13

HYDROXIDE, PELLETS, NF

Water Alcohols Halogens

halogenated hydrocarbons

Acid anhydrides Acid chlorides Nitro compounds

**Hazardous decomposition** 

products:

No information available.

Other Information

**Corrosivity:** Extremely corrosive in presence of aluminum, brass, and zinc.

Slightly corrosive in presence of copper, of stainless steel(304).

Non-corrosive in presence of stainless steel(316).

Special Remarks on Corrosivity: Severe corrosive effect on brass and bronze.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Principal Routes of Exposure:**

Eyes. Skin. Ingestion. Inhalation.

#### **Acute Toxicity**

#### **Component Information**

Potassium Hydroxide	
CAS-No.	1310-58-3

LD50/oral/rat = 284 mg/kg Oral LD50 Rat (LOLI)

273 mg/kg (RTECS)

214-429 mg/kg (European Commission IUCLID dataset)

LD50/oral/mouse = No information available

**LD50/dermal/rabbit =** No information available

LD50/dermal/rat = No information available

LC50/inhalation/rat = No information available

**LC50/inhalation/mouse** = No infomation available

Other LD50 or LC50information = No information available

#### **Product Information**

LD50/oral/rat =

VALUE- Acute Tox Oral = 214 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

**VALUE-Acute Tox Dermal =** No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

Product code: PO180 Product name: POTASSIUM 7 / 13
HYDROXIDE, PELLETS, NF

VALUE-Vapor = No information available VALUE-Gas = No information available VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

**Symptoms** 

**Skin Contact:** Severe skin irritation. Causes skin burns.

**Eye Contact:** Severe eye irritation. Causes eye burns. May cause permanent injury.

Inhalation Irritating to respiratory system. Inhalation of mist or vapor can cause severe

irritation and burns of the respiratory tract and mucous membranes, coughing, difficulty breathing. Irritation may lead to chemical pneumonitis, and pulmonary

edema.

**Ingestion** Toxic if swallowed. May cause severe and permanent damage to the digestive

tract. Causes severe irritation and burns of the gastrointestinal (digestive) tract with abdominal pain, vomiting, bloody diarrhea, cardiovascular collapse, and

possible death. May cause perforation of the digestive tract.

**Aspiration hazard** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated skin contact with dilute solutions of potassium hydroxide

can cause dermatitis.

Prolonged or repeated eye contact with dilute solutions can cause conjunctivitis. Prolonged or repeated Inhalation can produce chronic productive cough, and

shortness of breath.

**Sensitization:** No information available.

**Mutagenic Effects:** For Potassium Hydroxide:

Cytogenic analysis - Hamster ovary 12mmol/L (Registry of Toxic Effects of

Chemical Substances)

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Potassium Hydroxide	1310-58-3	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available

Product code: PO180 Product name: POTASSIUM 8 / 13

HYDROXIDE, PELLETS, NF

**Developmental Effects:**No information available **Teratogenic Effects:**No information available

**Specific Target Organ Toxicity** 

**STOT - single exposure**STOT - repeated exposure
No information available.
No information available.

**Target Organs:** Skin. Respiratory system. Eyes.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity effects:** No data available.

Persistence and degradability: No information available

**Bioaccumulative potential:** No information available.

**Mobility:** No information available.

#### 13. DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

#### Waste from residues / unused products:

Waste must be disposed of in accordance with Federal. State and Local regulation.

#### Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Potassium Hydroxide	1310-58-3	None	None	None	None

#### 14. TRANSPORT INFORMATION

DOT

**UN-No:** UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Class No information available

Packing group: II Emergency Response Guide 154

Number

Marine Pollutant

DOT RQ (lbs):

Special Provisions

No data available
1000 lbs./454 kg
IB8, IP2, IP4, T3, TP33

Symbol(s): [DOT]: (R4) - Identifies a material that is a hazardous substance that has a

reportable quantity (RQ) of 1000 pounds (454 Kilograms).

**Description:** UN1813, Potassium hydroxide, solid, 8, II

TDG (Canada)

**UN-No:** UN1813

Proper Shipping Name: Potassium hydroxide, solid

Product code: PO180 Product name: POTASSIUM 9 / 13

HYDROXIDE, PELLETS, NF

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No Information available

**Description:** UN1813, Potassium hydroxide, solid, 8, II

**ADR** 

**UN-No:** UN1813

**Proper Shipping Name:** Potassium hydroxide, solid

Hazard Class: 8
Packing Group: ||

Subsidiary Risk: No information available

**Description:** UN1813, Potassium hydroxide, solid, 8, II

**IMO / IMDG** 

**UN-No:** UN1813

**Proper Shipping Name:** Potassium hydroxide, solid

Hazard Class:

Subsidiary Risk: No information available

Packing Group:

Marine Pollutant No information available

EMS: F-A

**Description** UN1813, Potassium hydroxide, solid, 8, II

**RID** 

**UN-No:** UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class:

Subsidiary Risk: No information available

Packing Group:

**Description:** UN1813, Potassium hydroxide, solid, 8, II

**ICAO** 

**UN-No:** UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group:

**Description:** UN1813, Potassium hydroxide, solid, 8, II

**IATA** 

**UN-No:** UN1813

Proper Shipping Name: Potassium hydroxide, solid

Hazard Class: 8

Subsidiary Risk: No information available

Packing Group: II ERG Code: 8L

**Special Provisions** No information available

**Description:** UN1813, Potassium hydroxide, solid, 8, II

#### 15. REGULATORY INFORMATION

#### **International Inventories**

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines	Japan ENCS	CHINA	Australia	EINECS-No.
				(PICCS)			(AICS)	
Potassium Hydroxide	1310-58-3	Present	Present	Present	Present	Present	Present	Present
			KE-29139		(1)-369			215-181-3

#### **U.S. Regulations**

Potassium Hydroxide

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 1571

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Pennsylvania RTK - Environmental Hazard List Present Minnesota - Hazardous Substance List: Present

New York Release Reporting - List of Hazardous Substances:

1000 lb RQ 100 lb RQ

Louisana Reportable Quantity List for Pollutants: 1000lbfinal RQ

454kqfinal RQ

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1631

FDA - 21 CFR - Total Food Additives 163.110 163.111 163.112 172.841 175.210 176.180 176.210 177.1600 177.2800

184.1631 73.85

#### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	<b>Developmental Toxicity</b>	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
Potassium Hydroxide	1310-58-3	Not Listed	Not Listed	Not Listed	Not Listed

#### **CERCLA/SARA**

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Potassium Hydroxide	1310-58-3	1000 lb final RQ 454 kg final RQ	None	None	None	None

#### U.S. TSCA

Components		TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Potassium Hydroxide	1310-58-3	Not Applicable	Not Applicable

#### Canada

#### WHMIS hazard class:

D1B Toxic materials E Corrosive material

Components
Potassium Hydroxide

#### **WHIMHAZ**

D1B E

E 0.056% in aqueous solution, 0.11%, 0.56% in aqueous solution, 2.5%, 2.8%, 5.6% in aqueous solution, 25%, 28%, 33.3%, 40%, 50% in aqueous solution

#### **Canada Controlled Products Regulation:**

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Product code: PO180 Product name: POTASSIUM 11 / 13 HYDROXIDE, PELLETS, NF

Components	WHMIS Ingredient Disclosure List -
Potassium Hydroxide	1 %

#### Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Potassium Hydroxide	1310-58-3	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Potassium Hydroxide	1310-58-3	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject
		to Mandatory Reporting
Potassium Hydroxide	1310-58-3	Not listed

#### **EU Classification**

#### R-phrase(s)

R22 - Harmful if swallowed.

R35 - Causes severe burns.

#### S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 1/2 - Keep locked up and out of the reach of children.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	CAS-No.	- 10.0 0 11.0 0 10.0 1	Concentration Limits:	Safety Phrases
Potassium Hydroxide		Xn; R22 C; R35		S1/2 S26 S36/37/39 S45

The product is classified in accordance with Annex VI to Directive 67/548/EEC

#### Indication of danger:

C - Corrosive.

Xn - Harmful.





#### **16. OTHER INFORMATION**

Preparation Date: 3/13/2015
Revision Date: 9/12/2016
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against

Product code: PO180 Product name: POTASSIUM 12 / 13 HYDROXIDE, PELLETS, NF

infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet** 

**Product name:** POTASSIUM HYDROXIDE, PELLETS, NF

Product code: PO180



#### Manufacturer

Product Covered: PO180, Potassium Hydroxide, Pellets, NF

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,

Michael Dang

Director, Quality Systems & GMP


Compliance

mdang@spectrumchemical.com



#### **Manufacturing Process Flowchart**

#### Potassium Hydroxide, Pellets, NF - PO180



#### Spectrum Chemical Mfg Corp



## **CERTIFICATE**OF REGISTRATION

This is to certify that the quality management system of:

## Spectrum Chemicals and Laboratory Products, Inc.

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA,

Additional sites:13915 South Main Street, Los Angeles, California, 90061, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 777 Jersey Avenue, New Brunswick, New Jersey, 08901, USA 400 N. Oracle, Suite 221, Tucson, Arizona, 85704, USA, USA

has been assessed and registered by Intertek as conforming to the requirements of:

ISO 9001:2015

#### The quality management system is applicable to:

Main Site: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

**Certificate Number:** 

94-316m-03

**Initial Certification Date:** 

27 December 1994

**Certificate Issue Date:** 

31 July 2017

**Certificate Expiry Date:** 

28 January 2019



Authorized Signature
Calin Moldovean

President Business Assurance

Intertek Testing Services NA, Inc. dba Intertek 900 Chelmsford Street, Lowell, MA, USA







# APPENDIX TO CERTIFICATE OF REGISTRATION

This appendix identifies the locations by the management system of

## Spectrum Chemicals and Laboratory Products, Inc.

755 and 769 Jersey Avenue: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

777 Jersey Avenue: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for Compounding Pharmacies.

7400 N. Oracle: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.







## 管理体系认证 注册证书

兹证明,以下组织:

## 斯百全化学(上海) 有限公司

上海市松江区申港路3802弄A20

的管理体系,符合以下标准要求并予以注册:

ISO 9001:2015

此管理体系适用于:

药用辅料销售, 化学品销售

统一社会信用代码:

91310000777627048K

证书编号:

111310001

首次认证日期:

2015年11月17日

认证决定日期:

2017年12月26日

签发日期:

2017年12月26日

有效期至:

2018年11月10日



014



#### Calin Moldovean

President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited 是 UKAS 认可的认证机构 , 注册号为 014







### **CERTIFICATE OF REGISTRATION**

This is to certify that the management system of:

### Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The management system is applicable to:

Sales for Pharmaceutical Excipients, Sales for Chemicals

**Unified Social Credit Identifier:** 

91310000777627048K

**Certificate Number:** 

111310001

**Initial Certification Date:** 

17 November 2015

**Date of Certification Decision:** 

26 December 2017


**Issuing Date:** 

26 December 2017

Valid Until:

10 November 2018





**Calin Moldovean** 

President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014







July 13, 2017

#### Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that our USP, NF, FCC, EP, BP, JP and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:2020632Spectrum-New Brunswick, NJ:2246824Spectrum-Shanghai, China:3006174778

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com

Sincerely,

Oralia Chavez

Oula Olway

**Quality Assurance Specialist** 



October 2, 2018

#### Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name	
PO180	Potassium Hydroxide, Pellets, NF	

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632 Spectrum-New Brunswick, NJ: 2246824 Spectrum-Shanghai, China: 03006174778

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at <a href="mailto:qualityassurance@spectrumchemical.com">qualityassurance@spectrumchemical.com</a>

Sincerely,

Oralia Chavez

**Quality Assurance Specialist** 

Order Clony



March 31, 2016

Re: Potassium Hydroxide, Pellets, NF-PO180

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Potassium Hydroxide, Pellets, NF-PO180

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at <a href="mailto:techservices@spectrumchemical.com">techservices@spectrumchemical.com</a>.

Sincerely,

Darlene Dagdag- Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



March 31, 2016

Re: Potassium Hydroxide, Pellets, NF - PO180

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain Peanuts (including, but not limited to: peanut flour, peanut oil, etc.), Tree Nuts (including, but not limited to: almonds, pecans, walnuts, hazelnuts, filberts, cashews, etc.), Milk and Derivatives (including but not limited to butter, milk, casein, whey, lactose, etc.), Egg & Egg Products (including, but not limited to: albumen, egg white, yolk, meringue, etc.), Fish (including, but not limited to: all types of freshwater or saltwater finfish, fish oil, fish meal, etc.), Shellfish (including, but not limited to: crustaceans (shrimp, crab, crayfish, lobster, etc.) and mollusks (oysters, clams, scallops, mussels, etc.)), Soy or Soy Derived Products (including, but not limited to: miso, tofu, soy protein, textured vegetable protein, soy nuts, soy flour, soy lecithin, and soy oil (Unless Highly Refined - Refined, Bleached, and Deodorized)), Wheat (including, but not limited to: gluten, flour, bran, etc.), Gluten (including, but not limited to: wheat, rye, barley, oats, etc.), Seeds or Seed Derivatives (including, but not limited to: caraway, cottonseed, sunflower seeds, poppy seeds, etc.), Celery (including, but not limited to: root, leaves, stalk, seeds, etc.), Sesame Seeds and Derivatives (including, but not limited to: sesame seed, sesame oil, etc.), Mustard (including, but not limited to: mustard seed, mustard oil, etc.), Sulfites - (including, but not limited to: sulfur dioxide, sodium metabisulfite or sodium bisulfite), Preservatives - (including, but not limited to: benzoates, benzoic acid, sorbates, sorbic acid), MSG - (Monosodium Glutamate), Grains (including, but not limited to: barley, oats, rice, etc.), Corn (including, but not limited to: maltodextrin, corn starch, corn syrup, etc.), Colors (including, but not limited to: FD&C Yellow 5 & 6, titanium dioxide, carmine, Tartrazine Dye, etc.), Yeast or Yeast Derivatives (including, but not limited to: Autolyzed Yeast Extract, Yeast Extract), Antioxidants - (including, but not limited to: Tocopherols, BHA, BHT, Added Diacetyl, Phenylalanine, Cereals, Buckwheat, Tomatoes, Peaches, Pork).

Potassium Hydroxide, Pellets, NF - PO180

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at <a href="mailto:techservices@spectrumchemical.com">techservices@spectrumchemical.com</a>.



Sincerely,

Darlene Dagdag- Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



April 1, 2016

Re: Potassium Hydroxide, Pellets, NF - PO180

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in the production. The following product does not come in contact with Aflatoxins at any stage of production.

Potassium Hydroxide, Pellets, NF - PO180

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag- Lyudmirskiy Technical Services Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



#### **Certificate Of Analysis**

Item Number	PO180	Lot Number	1HH1367
Item	Potassium Hydroxide, Pellets, NF		
CAS Number	1310-58-3		
Molecular Formula	КОН	Molecular Weight	56.11

Test	Specif	ication	Result
	min	max	
Total Alkali (as KOH; Total Alkali, including Max 3.5 % of K <sub>2</sub> CO <sub>3</sub> )	85.0 %		87.8 %
CONTENT OF POTASSIUM	59.9 %		59.9 %
pH (0.1 mg/ml)	10.5		13.6
INSOLUBLE SUBSTANCES	COMPLETE, CLEAR COLORLESS		COMPLETE, CLEAR COLORLESS
SODIUM		1.0 %	<0.1 %
ELEMENTAL IMPURITIES	AS REPORTED		COMPLIES WITH STANDARD
IDENTIFICATION (A)	POSITIVE FOR POTASSIUM		POSITIVE FOR POTASSIUM
IDENTIFICATION (B)	10.5		13.6
CERTIFIED HALAL			CERTIFIED HALAL
EXPIRATION DATE			31-AUG-2021
DATE OF MANUFACTURE			11-AUG-2018
APPEARANCE			WHITE PELLETS
RESIDUAL SOLVENTS	AS REPORTED		NO RESIDUAL SOLVENTS USED

Spectrum Chemical Mfg Corp 14422 South San Pedro Street Gardena 90248 CA



Certificate of Analysis Results Certified By:

Adan Hernandez

Quality Control Manager

Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.



#### **Certificate Of Analysis**

Item Number	PO180	Lot Number	2HE0479
Item	Potassium Hydroxide, Pellets, NF		
CAS Number	1310-58-3		
Molecular Formula	КОН	Molecular Weight	56.11

Test	Specif	ication	Result
	min	max	
Total Alkali (as KOH; Total Alkali, including Max 3.5 % of K <sub>2</sub> CO <sub>3</sub> )	85.0 %		87.3 %
CONTENT OF POTASSIUM	59.9 %		59.9 %
pH (0.1 mg/ml)	10.5		11.11
INSOLUBLE SUBSTANCES	TO PASS TEST		PASSES TEST
SODIUM		1.0 %	<0.1 %
ELEMENTAL IMPURITIES	AS REPORTED		COMPLIES WITH STANDARD
IDENTIFICATION	TO PASS TEST		PASSES TEST
CERTIFIED HALAL			CERTIFIED HALAL
EXPIRATION DATE			31-MAY-2021
DATE OF MANUFACTURE			08-MAY-2018
APPEARANCE			WHITE IRREGULARLY SHAPED PELLETS
RESIDUAL SOLVENTS	TO PASS TEST		NO RESIDUAL SOLVENTS USED

Spectrum Chemical Mfg Corp 755 Jersey Avenue New Brunswick 08901 NJ



Certificate Of Analysis Results Certified by

Ibad Tirmizi Director of Quality Spectrum Chemical Mfg. Corp.


All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.



#### **Label Information**

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.



- A Bar Code
- B GHS Hazard Pictograms
- Warning, Safety Data and Precautionary Information
- Product Catalog Number
- Item Name, Form, Grade
- Storage Color Band

- Size/Quantity
- Chemical Abstracts Service (CAS) Registry Number
- Caution Information
- DOT Shipping Information
- Toll-Free 24-Hour Chemical Emergency Telephone Number
- Empirical Formula, Formula Weight and Technical Specifications Panel
- Expiration Information
- Lot Number
- Kosher Certified by Kosher Supervision of America (KSA).

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

## YELLOW: Oxidizer RED: Flammable GREEN: General Storage BLUE: Health Hazard

WHITE: Corrosive

#### Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave.

New Brunswick, NJ 08901

732.214.1300

08901

West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

310.516.8000



June 15, 2018

#### **RE: Lot Numbering System**

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

**Example**: Zl0928 = The 928<sup>th</sup> material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

1 = Gardena, CA Facility

2 = New Brunswick, NJ Facility

3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

**Example**: 2AA0706 = The 706<sup>th</sup> material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at <a href="mailto:qualityassurance@spectrumchemical.com">qualityassurance@spectrumchemical.com</a> if we may be of further assistance.

Sincerely.

Michael Dang

Director, Quality Systems & GMP Compliance

mdang@spectrumchemical.com



#### **Stability – Shelf Life Guidance**

Product Covered: PO180, Potassium Hydroxide, Pellets, NF

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, PO180, Potassium Hydroxide, Pellets, NF, is assigned a 36 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez Quality Control Manager

Corporate Headquarters 769 Jersey Avenue

New Brunswick, NJ 08901-3605



#### شهادة حلال FANCA HALAL PRODUCT CERTIFICATE

This is to certify that the following product(s) have been produced under the supervision of the Islamic Food and Nutrition Council of America(IFANCA). The production facility as well as component ingredients have been reviewed and approved. The product(s) are in compliance with the halal requirements under Islamic laws.

Date: August 16, 2018

Document #: 11205.11206.II181450

Company Name & Address:

Spectrum Laboratory Products, Inc. 769- Jersey Avenue New Brunswick, New Jersey 08901 USA

Plant Name & Address:

ProductName	<b>Product Code</b>	Halal-ID	Product Certificate #
1. Potassium Hydroxide, Pellets, NF	PO180	B94033	HC-18SPBN33

Muhammad Munir Chaudry, Ph.D. President





This Certificate is valid until August 31, 2019 and subject to renewal at that time.



Page 1 of 1