



# Scientific Documentation

## SO150, Sodium Carbonate, Hydrous, NF

Not appropriate for regulatory submission.  
Please visit [www.spectrumchemical.com](http://www.spectrumchemical.com) or  
contact Tech Services for the most up-to-date  
information contained in this information  
package.

**Spectrum Chemical Mfg Corp**  
769 Jersey Avenue  
New Brunswick, NJ 08901  
Phone 732.214.1300

Ver4.03 19.September.2017



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving the scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan Wang", is positioned above the typed name.

Alan Wang, MSQA, ASQ CQA  
Director of Technical Services  
[techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com)

**SO150**, Sodium Carbonate, Hydrrous, NF

## Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Manufacturing Process Flowchart
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Certificate of Analysis Sample(s)
- General Label Information – Sample Label
- General Lot Numbering System Guidance
- Stability – Shelf Life Guidance

**spectrum**<sup>®</sup>  
CHEMICAL MFG CORP



## Specification for Sodium Carbonate, Hydrous, NF (SO150)

Item Number	SO150
Item	Sodium Carbonate, Hydrous, NF
CAS Number	5968-11-6
Molecular Formula	Na <sub>2</sub> CO <sub>3</sub> ·H <sub>2</sub> O
Molecular Weight	124.00
MDL Number	
Synonyms	

Test	Specification	
	Min	Max
ASSAY (Na <sub>2</sub> CO <sub>3</sub> )	99.5 - 100.5 %	
WATER	12.0 - 15.0 %	
HEAVY METALS		0.001 %
IDENTIFICATION		TO PASS TEST
EXPIRATION DATE		
RESIDUAL SOLVENTS		TO PASS TEST

### *Spectrum Chemical Mfg Corp*

**Corporate Headquarters:**  
769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

**West Coast Facility:**  
14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000

## SAFETY DATA SHEET

Preparation Date: 8/29/2016

Revision Date: 8/29/2016

Revision Number: G1

### 1. IDENTIFICATION

**Product identifier**

**Product code:** SO150  
**Product Name:** SODIUM CARBONATE, MONOHYDRATE, NF

**Other means of identification**

**Synonyms:** Disodium Carbonate, monohydrate  
 Carbonic acid, disodium salt, monohydrate  
**CAS #:** 5968-11-6  
**RTECS #** Not available  
**CI#:** Not available

**Recommended use of the chemical and restrictions on use**

**Recommended use:** No information available.  
**Uses advised against** No information available

**Supplier:** Spectrum Chemical Mfg. Corp  
 14422 South San Pedro St.  
 Gardena, CA 90248  
 (310) 516-8000.

**Order Online At:** <https://www.spectrumchemical.com>  
**Emergency telephone number** Chemtrec 1-800-424-9300  
**Contact Person:** Martin LaBenz (West Coast)  
**Contact Person:** Ibad Tirmiz (East Coast)

### 2. HAZARDS IDENTIFICATION

**Classification**

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

**Label elements**

**Warning**

**Hazard statements**  
 Causes serious eye irritation  
 May cause respiratory irritation



**Hazards not otherwise classified (HNOC)**

Not Applicable

**Other hazards**

Causes mild skin irritation  
May be harmful if swallowed  
Reacts with water to evolve heat

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear eye/face protection  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
If skin irritation occurs: Get medical advice/attention  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS-No.	Weight %
Sodium Carbonate, Monohydrate	5968-11-6	100

**4. FIRST AID MEASURES**

**First aid measures**

**General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.

**Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention.

**Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

### **Most important symptoms and effects, both acute and delayed**

**Symptoms** Causes eye irritation. Eye contact may result in redness or pain. May be harmful if swallowed. Mild skin irritation. Irritating to respiratory system.

### **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician:** Treat symptomatically.

### **Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

## **5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

**Unsuitable Extinguishing Media:** No information available.

### **Specific hazards arising from the chemical**

**Hazardous Combustion Products:** No information available.

**Specific hazards:** The product is not flammable

### **Special Protective Actions for Firefighters**

**Specific Methods:** No information available.

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

**Personal Precautions:** Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

### **Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

**Methods for cleaning up** Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

**Product code:** SO150

**Product name:** SODIUM  
CARBONATE, MONOHYDRATE, NF

**3 / 11**

**Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

**Safe Handling Advice**

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid dust formation. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities****Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Protect from moisture. Hygroscopic.

**Incompatible Materials:**

Acids  
Fluorine  
Fluoride  
Lithium  
Phosphorus pentoxide  
Moisture  
2,4,6-trinitrotoluene  
Ammonia

<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
---

**Control parameters****National occupational exposure limits****United States**

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Sodium Carbonate, Monohydrate	5968-11-6	None	None	None	None

**Canada**

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Sodium Carbonate, Monohydrate	5968-11-6	None	None	None	None

**Australia and Mexico**

Components	CAS-No.	Australia	Mexico
Sodium Carbonate, Monohydrate	5968-11-6	None	None

**Appropriate engineering controls****Engineering measures to reduce exposure:**

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.



## Individual protection measures, such as personal protective equipment

### Personal Protective Equipment

<b>Eye protection:</b>	Goggles or Safety glasses with side-shields
<b>Skin and body protection:</b>	Long sleeved clothing. Chemical resistant apron. Gloves.
<b>Respiratory protection:</b>	Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds) , inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.
<b>Hygiene measures:</b>	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b> Solid	<b>Appearance:</b> Crystals. Granular. Granular powder. Crystalline powder.	<b>Color:</b> White.
<b>Odor:</b> Odorless.	<b>Taste</b> Alkaline.	<b>Formula:</b> Na <sub>2</sub> CO <sub>3</sub> .H <sub>2</sub> O
<b>Molecular/Formula weight:</b> 124.00	<b>Flammability:</b> No information available	<b>Flashpoint (°C/°F):</b> No information available.
<b>Flash Point Tested according to:</b> Not available	<b>Autoignition Temperature (°C/°F):</b> No information available	<b>Lower Explosion Limit (%):</b> No information available
<b>Upper Explosion Limit (%):</b> No information available	<b>Melting point/range(°C/°F):</b> 100 °C/212 °F	<b>Decomposition temperature(°C/°F):</b> No information available
<b>Boiling point/range(°C/°F):</b> No information available	<b>Bulk density:</b> No information available	<b>Density (g/cm<sup>3</sup>):</b> 2.25
<b>Specific gravity:</b> No information available	<b>pH:</b> No information available	<b>Vapor pressure @ 20°C (kPa):</b> No information available
<b>Evaporation rate:</b> No information available	<b>Vapor density:</b> No information available	<b>VOC content (g/L):</b> No information available
<b>Odor threshold (ppm):</b> No information available	<b>Partition coefficient (n-octanol/water):</b> No information available	<b>Viscosity:</b> No information available
<b>Miscibility:</b> No information available	<b>Solubility:</b> Soluble in Glycerol Insoluble in Alcohol Soluble in Water Soluble in 3 parts cold water, 1.8 parts boiling water, and 7 parts glycerol	

## 10. STABILITY AND REACTIVITY

### Reactivity

Reactive with acids

**Product code:** SO150

**Product name:** SODIUM  
CARBONATE, MONOHYDRATE, NF

5 / 11

Decomposition by acids with effervescence (release of CO<sub>2</sub>)  
Combines/reacts with water with evolution of heat  
Sodium carbonate applied to red hot aluminum can cause an explosion  
Sodium carbonate can ignite and burn fiercely in contact with fluoride  
Sodium carbonate can react violently with F<sub>2</sub>, Li, 2,4,6-trinitrotoluene

### Chemical stability

**Stability:** Stable at normal conditions. Hygroscopic.

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur

**Conditions to avoid:** Heat. Avoid dust formation. Exposure to moisture. Exposure to moist air.  
Incompatible materials. Exposure to warm, dry air. Dries out somewhat in warm dry air or above 50 deg. C.

**Incompatible Materials:** Acids  
Fluorine  
Fluoride  
Lithium  
Phosphorus pentoxide  
Moisture  
2,4,6-trinitrotoluene  
Ammonia

**Hazardous decomposition products:** Carbon oxides. Sodium oxides.

### Other Information

**Corrosivity:** No information available

**Special Remarks on Corrosivity:** No information available

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Principal Routes of Exposure:**  
Eyes. Ingestion. Inhalation. Skin.

### Acute Toxicity

### Component Information

Sodium Carbonate, Monohydrate	
CAS-No.	5968-11-6

**LD50/oral/rat** = No information available  
**LD50/oral/mouse** = No information available  
**LD50/dermal/rabbit** = No information available  
**LD50/dermal/rat** = No information available  
**LC50/inhalation/rat** = No information available  
**LC50/inhalation/mouse** = No information available  
**Other LD50 or LC50 information** = No information available

### Product Information

**Product code:** SO150

**Product name:** SODIUM  
CARBONATE, MONOHYDRATE, NF

6 / 11

LD50/oral/rat =  
VALUE- Acute Tox Oral = 4090 mg/kg

LD50/oral/mouse =  
Value - Acute Tox Oral = No information available

LD50/dermal/rabbit  
VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat  
VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat  
VALUE-Vapor = No information available  
VALUE-Gas = No information available  
VALUE-Dust/Mist = 2300 mg/m<sup>3</sup> (2-hr)

LC50/Inhalation/mouse  
VALUE-Vapor = No information available  
VALUE - Gas = No information available  
VALUE - Dust/Mist = 1200 mg/m<sup>3</sup> 2 hr

### Symptoms

**Skin Contact:** Mild skin irritation.

**Eye Contact:** Causes serious eye irritation. Causes conjunctival irritation.

**Inhalation** Irritating to respiratory system. Symptoms may include coughing and shortness of breath.

**Ingestion** May be harmful if swallowed. Acute sodium carbonate ingestion may cause irritation of the digestive tract resulting in nausea, vomiting, diarrhea, thirst, abdominal pain depending on concentration and amount ingested. May also affect the cardiovascular system (circulatory collapse).

**Aspiration hazard** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic Toxicity** No information available.

**Sensitization:** No information available.

**Mutagenic Effects:** No information available

**Carcinogenic effects:** Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Sodium Carbonate, Monohydrate	5968-11-6	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*IARC (International Agency for Research on Cancer)*

*NTP (National Toxicology Program)*

**Reproductive toxicity** No data is available  
**Reproductive Effects:** No information available  
**Developmental Effects:** No information available  
**Teratogenic Effects:** No information available

**Specific Target Organ Toxicity**

**STOT - single exposure** Respiratory system.  
**STOT - repeated exposure** No information available.  
**Target Organs:** No information available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Ecotoxicity effects:** Aquatic environment.  
**Persistence and degradability:** No information available  
**Bioaccumulative potential:** No information available.  
**Mobility:** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Disposal Methods**

**Waste from residues / unused products:**  
 Waste must be disposed of in accordance with Federal, State and Local regulation.

**Contaminated packaging:**  
 Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Sodium Carbonate, Monohydrate	5968-11-6	None	None	None	None

**14. TRANSPORT INFORMATION**

**DOT**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Class** No information available  
**Packing group:** No information available  
**Emergency Response Guide Number** No information available  
**Marine Pollutant** No data available  
**DOT RQ (lbs):** No information available  
**Special Provisions** No Information available

**Symbol(s):** No information available  
**Description:** No information available

**TDG (Canada)**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Marine Pollutant Description:** No information available

**ADR**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Packing Group:** No information available  
**Subsidiary Risk:** No information available

**IMO / IMDG**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**Marine Pollutant** No information available

**RID**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available

**ICAO**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available

**IATA**  
**UN-No:** Not Regulated  
**Proper Shipping Name:** No information available  
**Hazard Class:** No information available  
**Subsidiary Risk:** No information available  
**Packing Group:** No information available  
**ERG Code:** No information available  
**Special Provisions** No information available

**15. REGULATORY INFORMATION**

**International Inventories**

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Sodium Carbonate, Monohydrate	5968-11-6	Not Listed	Not present	Present	Present (1)-164	Present	Present	Not present

## U.S. Regulations

### California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

#### Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

#### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Sodium Carbonate, Monohydrate	5968-11-6	Not Listed	Not Listed	Not Listed	Not Listed

### CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Sodium Carbonate, Monohydrate	5968-11-6	None	None	None	None	None

### U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Sodium Carbonate, Monohydrate	5968-11-6	Not Applicable	Not Applicable

### Canada

#### WHMIS hazard class:

D2B Toxic materials  
E Corrosive material

#### Components

Sodium Carbonate, Monohydrate

#### WHIMHAZ

D2B E

#### Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

### Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Sodium Carbonate, Monohydrate	5968-11-6	Not Listed	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Sodium Carbonate, Monohydrate	5968-11-6	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Sodium Carbonate, Monohydrate	5968-11-6	Not listed

### EU Classification

#### R-phrases

R36 - Irritating to eyes.  
R37 - Irritating to respiratory system.

**S -phrase(s)**

S 2 - Keep out of the reach of children.

S22 - Do not breathe dust.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Sodium Carbonate, Monohydrate	5968-11-6		No information	

**The product is classified in accordance with Annex VI to Directive 67/548/EEC****Indication of danger:**

Xi - Irritant.

**Xi****16. OTHER INFORMATION**

**Preparation Date:** 8/29/2016  
**Revision Date:** 8/29/2016  
**Prepared by:** Sonia Owen

**Disclaimer:**

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet**



## **Manufacturer**

Product Covered: SO150, Sodium Carbonate, Hydrous, NF

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,


A handwritten signature in black ink, appearing to read "Alan Wang", is written over a light gray rectangular background.

Alan Wang, MSQA, ASQ CQA  
Director of Technical Services  
[techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com)



## Manufacturing Process Flowchart

### Sodium Carbonate, Hydrous, NF - SO150



#### ***Spectrum Chemical Mfg Corp***

***Corporate Headquarters:***

769 Jersey Ave.  
New Brunswick, NJ 08901  
732.214.1300

***West Coast Facility:***

14422 S. San Pedro St.  
Gardena, CA 90248  
310.516.8000

# CERTIFICATE OF REGISTRATION

This is to certify that the quality management system of:

## Spectrum Chemicals and Laboratory Products, Inc.

Main Site: 14422 South San Pedro Street, Gardena, California, 90248,  
USA,

Additional sites: 13915 South Main Street, Los Angeles, California,  
90061, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

777 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

400 N. Oracle, Suite 221, Tucson, Arizona, 85704, USA, USA

has been assessed and registered by Intertek as conforming to the  
requirements of:

## ISO 9001:2015

The quality management system is applicable to:

Main Site: The manufacture and distribution of specialty fine  
chemicals, solutions, equipment, supplies and products for the  
laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance,  
biotechnology, environmental and process industries.

**Certificate Number:**

94-316m-03

**Initial Certification Date:**

27 December 1994

**Certificate Issue Date:**

31 July 2017

**Certificate Expiry Date:**

28 January 2019



A handwritten signature in black ink, appearing to read 'Calin Moldovean', written over a horizontal line.

**Authorized Signature**

**Calin Moldovean**

President Business Assurance

Intertek Testing Services NA, Inc. dba Intertek  
900 Chelmsford Street, Lowell, MA, USA



# APPENDIX TO CERTIFICATE OF REGISTRATION

This appendix identifies the locations by the management system of

## Spectrum Chemicals and Laboratory Products, Inc.

755 and 769 Jersey Avenue: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

777 Jersey Avenue: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for Compounding Pharmacies.

7400 N. Oracle: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.



# Certificate of Registration

# Intertek

This is to certify that the quality management system of

## Spectrum China Ltd.

**Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China**

has been assessed and registered by Intertek as conforming to the requirements of

## ISO 9001: 2008

The quality management system is applicable to:

*Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.*

Organization Code: 77762704-8  
Certificate Number: 111310001-01  
Certificate Issue Date: 17 November 2015  
Certificate Expiry Date: 14 September 2018



014

A handwritten signature in black ink, appearing to read 'Calin Moldovean'.

*Authorised Signature: Calin Moldovean – President, Business Assurance  
Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom*  
Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at [certificate.validation@intertek.com](mailto:certificate.validation@intertek.com) or by scanning the code to the right with a smartphone.  
The annual validity of the certificate can also be checked through the website <http://www.cnca.gov.cn> of CNCA in China.



The certificate remains the property of Intertek, to whom it must be returned upon request.

July 13, 2017

**Certification of Compliance with current Good Manufacturing Practices**

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that our USP, NF, FCC, EP, BP, JP and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	<u>2246824</u>
Spectrum-Shanghai, China:	<u>3006174778</u>

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com)

Sincerely,



Oralia Chavez  
Quality Assurance Specialist

September 19, 2017

**Certification of Compliance with current Good Manufacturing Practices**

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
SO150	Sodium Carbonate, Hydrous, NF

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632  
Spectrum-New Brunswick, NJ: 2246824  
Spectrum-Shanghai, China: 3006174778

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com)

Sincerely,



Oralia Chavez  
Quality Assurance Specialist



July 26, 2016

Re: Sodium Carbonate, Hydrous, NF- SO150

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Sodium Carbonate, Hydrous, NF- SO150

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at [techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com).

Sincerely,

Darlene Dagdag-Lyudmirskiy  
Technical Services  
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



July 26, 2016

Re: Sodium Carbonate, Hydrous, NF- SO150

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Sulfur dioxide and sulfites at concentrations of more than 10 mg/kg or 10 mg/liter expressed as SO<sub>2</sub>; Lupin; Tree nuts; Mollusks; Wheat; Peanuts; Soy; Cereals containing Gluten; Celery; Mustard; Sesame Seed).

Sodium Carbonate, Hydrous, NF- SO150

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at [techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com).

Sincerely,

Darlene Dagdag-Lyudmirskiy  
Technical Services  
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature





July 26, 2016

Re: Sodium Carbonate, Hydrous, NF- SO150

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Sodium Carbonate, Hydrous, NF- SO150

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at [techservices@spectrumchemical.com](mailto:techservices@spectrumchemical.com).

Sincerely,

Darlene Dagdag-Lyudmirskiy  
Technical Services  
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature

Item Number	SO150	Lot Number	2GA0068
Item	Sodium Carbonate, Hydrous, NF		
CAS Number	5968-11-6		
Molecular Formula	Na <sub>2</sub> CO <sub>3</sub> .H <sub>2</sub> O	Molecular Weight	124.00

Test	Specification		Result
	min	max	
ASSAY (Na <sub>2</sub> CO <sub>3</sub> )	99.5 - 100.5 %		100.11 %
WATER	12.0 - 15.0 %		14.81 %
HEAVY METALS		0.001 %	<0.0004 %
IDENTIFICATION		TO PASS TEST	PASSES TEST
EXPIRATION DATE			30-JUN-2021
RESIDUAL SOLVENTS		TO PASS TEST	NO RESIDUAL SOLVENTS USED
APPEARANCE			WHITE GRANULES
DATE OF MANUFACTURE			01-JUL-2016

Spectrum Chemical Mfg Corp  
755 Jersey Avenue  
New Brunswick 08901 NJ

Certificate Of Analysis Results Certified by



Ibad Tirmizi  
Director of Quality  
Spectrum Chemical Mfg. Corp.



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and MSDS/SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personal only. The customer must ensure to provide its users adequate hazardous material training and appropriate protective gears before handling our chemicals.

## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

**A** **WARNING**

• Causes serious eye irritation • May cause respiratory irritation • Causes mild skin irritation • May be harmful if swallowed • Reacts with water to evolve heat.

• Wear eye protection, face protection • Avoid breathing dust • Use only outdoors or in a well-ventilated area • Wash face, hands and any exposed skin thoroughly after handling.

**FIRST AID:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If skin irritation occurs: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

**L** Exp. Date: 03-31-2025

**L** **KEEP FROM CHILDREN**



**S0150** **D** **F** **500 G**

# Sodium Carbonate

**E** Hydrus  
N.F.

**H** **G** CAS 5968-11-6

**H** **CAUTION:** For manufacturing, processing or repacking.  
**Read and understand the label and Safety Data Sheet (SDS) prior to use.**

**J** **Chemical Emergency: (800)424-9300**  
[www.SpectrumChemical.com](http://www.SpectrumChemical.com)

**K**  $\text{Na}_2\text{CO}_3 \cdot \text{H}_2\text{O}$  **K** F.W. 124.00

Assay (Anhydrous Basis) ..... 99.5-100.5%  
Water ..... 12.0-15.0%

**MAXIMUM LIMITS**

Heavy Metals ..... 0.001%  
Residual Solvents ..... To pass test

**WARNING:** This product contains a chemical known to the State of California to cause cancer.

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

HYGROSCOPIC: Keep tightly closed.

**M** Lot No. 062233

G 8/E6GHS A **O**

**SPECTRUM CHEMICAL MFG. CORP. Gardena, CA 90248 • New Brunswick, NJ 08901**

- |   |  |   |
|---|--|---|
| <b>A</b> Bar Code   | <b>F</b> Size/Quantity   | <b>K</b> Empirical Formula, Formula Weight and Technical Specifications Panel |
| <b>B</b> GHS Hazard Pictograms                              | <b>G</b> Chemical Abstracts Service (CAS) Registry Number      | <b>L</b> Expiration Information   |
| <b>C</b> Warning, Safety Data and Precautionary Information | <b>H</b> Caution Information                                   | <b>M</b> Lot Number   |
| <b>D</b> Product Catalog Number                             | <b>I</b> DOT Shipping Information                              | <b>N</b> Kosher Certified by Kosher Supervision of America (KSA).             |
| <b>E</b> Item Name, Form, Grade                             | <b>J</b> Toll-Free 24-Hour Chemical Emergency Telephone Number |   |
| <b>O</b> Storage Color Band                                 |  |   |

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

### Spectrum Chemical Mfg Corp

**Corporate Headquarters:**

769 Jersey Ave.  
New Brunswick, NJ 08901

732.214.1300

**West Coast Facility:**

14422 S. San Pedro St.  
Gardena, CA 90248

310.516.8000

January 26, 2016

**RE: Lot Numbering System**

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

**Example:** ZI0928 = The 928<sup>th</sup> material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

- 1 = Gardena, CA Facility
- 2 = New Brunswick, NJ Facility
- 3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

**Example:** 2AA0706 = The 706<sup>th</sup> material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com) if we may be of further assistance.

Sincerely,



Michael Dang  
Manager, GMP Compliance



## Stability – Shelf Life Guidance

Product Covered: SO150, Sodium Carbonate, Hydrous, NF

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, SO150, Sodium Carbonate, Hydrous, NF, is assigned a 60 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez  
Quality Control Manager

A handwritten signature in black ink, appearing to read "Adan R. Hernandez".

Corporate Headquarters  
769 Jersey Avenue  
New Brunswick, NJ 08901-3605