



Scientific Documentation

CA150, Calcium Hydroxide, Powder, USP, EP,
BP, JP

Not appropriate for regulatory submission.
Please visit www.spectrumchemical.com or
contact Tech Services for the most up-to-date
information contained in this information
package.

Spectrum Chemical Mfg Corp

769 Jersey Avenue
New Brunswick, NJ 08901
Phone 732.214.1300

Ver4.02 25.May.2016



Dear Customer,

Thank you for your interest in Spectrum's quality products and services.

Spectrum has been proudly serving our scientific community for over 45 years. It is our mission to manufacture and distribute fine chemicals and laboratory products with Quality and delivery you can count on every time.

To accomplish our mission, Spectrum utilizes our sourcing leverage and supplier qualification expertise in offering one of the industry's most comprehensive line of fine chemical products under one brand, in packaging configurations designed to meet your research and production requirements. Our product grades include: USP, NF, BP, EP, JP, FCC, ACS, KSA, Reagent grade, as well as DEA controlled substances. We operate facilities in the United States on the East Coast, West Coast, as well as in Shanghai, China in order to provide the best logistical support for our customers.

At Spectrum, Quality is priority number one. Suppliers with the best qualifications are preferred and we employ full-functioning in-house analytical laboratories at each of our facilities. Our facilities and systems are USFDA registered and ISO certified. We frequently host customer audits and cherish opportunities for improvements. Quality is engrained into our culture. Quality is priority number one.

In the following pages, we have designed and prepared documented scientific information to aid you in your initial qualification or your continual use of our products. Please do not hesitate to contact us if further information or the most up-to-date documentation is desired from any of the covered areas.

We appreciate your business and we look forward to hearing from you.

Sincerely,

A handwritten signature in black ink, appearing to be "Alan Wang", written over a light gray rectangular background.

Alan Wang, MSQA, ASQ CQA
Senior Manager of Technical Services
techservices@spectrumchemical.com

25.May.2016

CA150, Calcium Hydroxide, Powder, USP, EP, BP, JP

Table of Contents

- Product Specification
- Safety Data Sheet (SDS)
- Manufacturer
- Certification of Quality Management System (QMS)
- Certification of current Good Manufacturing Practices (cGMP)
- Product BSE/TSE Statement
- Product Allergen Statement
- Product Aflatoxin Statement
- General Label Information – Sample Label
- Product Certificate of Analysis Sample(s)
- General Lot Numbering System Guidance
- Stability – Shelf Life Guidance
- Kosher Certificate

spectrum[®]
CHEMICAL MFG CORP



Specification for Calcium Hydroxide, Powder, USP, EP, BP, JP (CA150)

Item Number	CA150
Item	Calcium Hydroxide, Powder, USP, EP, BP, JP
CAS Number	1305-62-0
Molecular Formula	Ca(OH) ₂
Molecular Weight	74.09
MDL Number	
Synonyms	Calcium Oxide, Hydrated ; Slaked Lime

Test	Specification	
	Min	Max
ASSAY	95.0 - 100.5 %	
ACID-INSOLUBLE SUBSTANCES		0.5 %
CARBONATE	TO PASS TEST	
HEAVY METALS		20 µg/g
ARSENIC (As)		4 ppm
MAGNESIUM AND ALKALI SALTS		4.0 %
CHLORIDE (Cl)		330 ppm
SULFATE		0.4 %
IDENTIFICATION	TO PASS TEST	
CERTIFIED KOSHER		
EXPIRATION DATE		
RESIDUAL SOLVENTS	TO PASS TEST	

Spectrum Chemical Mfg Corp

Corporate Headquarters:
769 Jersey Ave.
New Brunswick, NJ 08901
732.214.1300

West Coast Facility:
14422 S. San Pedro St.
Gardena, CA 90248
310.516.8000

SAFETY DATA SHEET

Preparation Date: 7/7/15

Revision Date: 7/7/15

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: CA150
Product Name: CALCIUM HYDROXIDE, POWDER, USP, EP, BP, JP

Other means of identification

Synonyms: Bell mine
 Biocalc
 Calcium hydrate
 Calvit
 Carboxide
 Calcium dihydroxide
 Hydrated lime
 Kalkhydrate
 Kemikal
 Limbux
 Lime milk
 Lime water
 Milk of lime
 Slaked lime

CAS #: 1305-60-0
RTECS # EW2800000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Pesticide. Fungicide. Fireproofing coatings. Egg preservative. water treatment. food additive as a buffer and neutralizer. Buffering agent. In paper manufacture process. Chemical intermediate. In dental cement. In lubricants. In mortar, plaster, cement and other building and paving materials. In fungicides. In pesticides. In SBR rubber vulcanization.

Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

Danger

Hazard statements

Causes skin irritation
Causes serious eye damage
May cause respiratory irritation



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wear protective gloves
Wear eye/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Product code: CA150

Product name: CALCIUM
HYDROXIDE, POWDER, USP, EP, BP,
JP

2 / 13

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Calcium Hydroxide 1305-62-0	1305-62-0	100	*

4. FIRST AID MEASURES**First aid measures****General Advice:**

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact:

Flush eye with water for 15 minutes. Get medical attention.

Inhalation:

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Obtain medical attention.

Most important symptoms and effects, both acute and delayed**Symptoms**

Causes skin irritation. Causes serious eye damage. Irritating to respiratory system. Causes digestive (gastrointestinal) tract irritation. Severe abdominal pain. Vomiting. May cause diarrhea.

Indication of any immediate medical attention and special treatment needed**Notes to Physician:**

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES**Extinguishing Media****Suitable Extinguishing Media:**

The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire.

Unsuitable Extinguishing Media:

No information available.

Specific hazards arising from the chemical**Hazardous Combustion Products:**

No information available.

Specific hazards:

Alkaline hydroxides boiled with phosphorus yields mixed phosphines which may ignite spontaneously in air. Contact with metals may evolve flammable hydrogen gas

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Neutralize the residue with a dilute solution of acetic acid. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Avoid dust formation. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents. Metals. Acids. Organic anhydride. aldehydes. Acrolein. Acetaldehyde. Trichloroethylene. Tetrahydrofuran. Phosphorus. Halogenated organic compounds. Nitro compounds. Potassium nitrate.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Calcium Hydroxide 1305-62-0	15 mg/m ³ TWA	= 5 mg/m ³ TWA	= 5 mg/m ³ TWA	None

Product code: CA150

Product name: CALCIUM
HYDROXIDE, POWDER, USP, EP, BP,
JP

4 / 13

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Calcium Hydroxide 1305-62-0	= 5 mg/m ³ TWA	= 5 mg/m ³ TWA	5 mg/m ³ TWA	5 mg/m ³ TWAEV

Australia and Mexico

Components	Australia	Mexico
Calcium Hydroxide 1305-62-0	5 mg/m ³ TWA	= 5 mg/m ³ TWA

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

- Eye protection:** Goggles or Safety glasses with side-shields
- Skin and body protection:** Chemical resistant apron. Gloves. Long sleeved clothing.
- Respiratory protection:** Effective dust mask. or. Wear respirator with dust filter.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Powder.	Color: White.
Odor: Odorless.	Taste Bitter. Alkaline. Slight.	Molecular/Formula weight: 74.1 g/mole
Formula: Ca(OH) ₂	Flammability: No information available	Flash point (°C): No data available
Flashpoint (°C/°F): No information available.	Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Autoignition Temperature (°C/°F): No information available	pH: No information available
Melting point/range(°C/°F): No information available	Boiling point/range(°C/°F): No information available	Decomposition temperature(°C/°F): 580°C (1076°F)
Bulk density: No information available	Specific gravity: 2.24	Vapor pressure @ 20°C (kPa): No information available
Density (g/cm³): No information available	Evaporation rate: No information available	Vapor density: No information available
VOC content (g/L): No information available	Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available
Viscosity: No information available	Miscibility: No information available	Solubility: Very slightly soluble in cold water Very slightly soluble in hot water Insoluble in Alcohol Soluble in ammonium salt Soluble in Glycerol Soluble in sugar or ammonium chloride solution Soluble in acids with evolution of much heat. Solubility in water: 0.185g/ 100mL @0°C Solubility in water: 0.077g/ 100mL @100°C Solubility in water:1.6-1.73g/ 100mL @20°C

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Reactive with metals

Reactive with acids

Incompatible with organic anhydrides (e.g. acetic anhydride, maleic anhydride), aldehydes, acrolein, acetaldehyde, trichloroethylene, tetrahydrofuran, phosphorous, halogenated organic compounds, nitro compounds (e.g. nitromethane, nitroparaffins, nitropropane), polychlorinated phenols, and potassium nitrate

When chlorinated phenols are heated for analytical purposes with calcium hydroxide-potassium nitrate mixtures, chlorinated benzodioxins analogous to extremely toxic tetrachlorodibenzodioxin may be formed.

Loses water when ignited to form Calcium Oxide.

Product code: CA150

Product name: CALCIUM
HYDROXIDE, POWDER, USP, EP, BP,
JP

6 / 13

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Incompatible materials.

Incompatible Materials: Oxidizing agents. Metals. Acids. Organic anhydride. aldehydes. Acrolein. Acetaldehyde. Trichloroethylene. Tetrahydrofuran. Phosphorus. Halogenated organic compounds. Nitro compounds. Potassium nitrate.

Hazardous decomposition products: No information available

Other Information

Corrosivity: Non-corrosive in the presence of glass

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Inhalation. Ingestion. Skin.

Acute Toxicity

Component Information

Calcium Hydroxide - 1305-62-0

LD50/oral/rat = 7340 mg/kg Oral LD50 Rat

LD50/oral/mouse = 7300 mg/kg Oral LD50 Mouse

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = 7340mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = 7300mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

Product code: CA150

Product name: CALCIUM
HYDROXIDE, POWDER, USP, EP, BP,
JP

7 / 13

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Causes skin irritation. Alkalies penetrate skin slowly. The extent of damage depends on the duration of contact.

Eye Contact: Causes serious eye irritation. May cause "Lime Burns" of the eye. Clumps may lodge deep in the recesses of the eye, releasing calcium hydroxide over a long period of time. Severe burns of the cornea with possible damage to corneal nerves may occur.

Inhalation Causes severe irritation of the respiratory tract (nose, throat, lungs), and mucous membranes with coughing, wheezing and/or shortness of breath. The material is destructive to tissue of the mucous membranes nad upper respiratory tract.

Ingestion Causes gastrointestinal tract irritation with vomiting, diarrhea, severe pain. Vomitus may contain blood and desquamated mucosal lining. May cause delayed gastrointestinal burns and perforation (gastric or esophageal) with severe abdominal pain and rapid fall in blood pressure.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged skin contact may cause skin irritation and/or dermatitis.

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Calcium Hydroxide	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure STOT - single exposure. Respiratory system.

STOT - repeated exposure No information available

Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Calcium Hydroxide - 1305-62-0

Freshwater Fish Species Data: 160 mg/L LC50 *Gambusia affinis* 96 h static 1

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Calcium Hydroxide	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: None
ERG No: No information available
Marine Pollutant: No data available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated

Product code: CA150

Product name: CALCIUM
HYDROXIDE, POWDER, USP, EP, BP,
JP

9 / 13

14. TRANSPORT INFORMATION

Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant No information available
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Calcium Hydroxide</i>	Present	Present KE-04518	Present	Present (1)-181	Present	Present	Present 215-137-3

U.S. Regulations

Calcium Hydroxide

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 0322

Pennsylvania RTK: Present

Minnesota - Hazardous Substance List: Present

California Directors List of Hazardous Substances: Present

FDA - Food Additives Generally Recognized as Safe (GRAS): 21 CFR 184.1205

FDA - 21 CFR - Total Food Additives 135.110 176.180 176.210 184.1205 73.85

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Calcium Hydroxide	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
Calcium Hydroxide	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Calcium Hydroxide	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

E Corrosive material

Calcium Hydroxide

E

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Components	WHMIS Ingredient Disclosure List -
Calcium Hydroxide	1 %

Inventory

Components	Canada (DSL)	Canada (NDSL)
Calcium Hydroxide	Present	Not Listed

Product code: CA150

Product name: CALCIUM
HYDROXIDE, POWDER, USP, EP, BP,
JP

11 / 13

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Calcium Hydroxide	Not listed	Not listed

EU Classification

R-phrase(s)

R41 - Risk of serious damage to eyes.

R38 - Irritating to skin.

S -phrase(s)

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Components	Classification	Concentration Limits:	Safety Phrases
Calcium Hydroxide		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xi - Irritant.

Xi



16. OTHER INFORMATION

16. OTHER INFORMATION

Preparation Date: 7/7/15
Revision Date: 7/7/15
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet



Manufacturer

Product Covered: CA150, Calcium Hydroxide, Powder, USP, EP, BP, JP

Spectrum takes ownership as the manufacturer for the Spectrum product listed above and provides full quality assurance, customer service, and technical product support.

While information concerning the raw material manufacturer of our starting materials is considered proprietary, such information can be made available upon request contingent on demonstration of business volume justification and successful execution of confidential disclosure agreement (CDA).

Requests for disclosure of proprietary raw material manufacturer information may be submitted to the assigned account representative for consideration.

Sincerely,

A handwritten signature in black ink, appearing to read "Alan Wang", is written over a light gray rectangular background.

Alan Wang, MSQA, ASQ CQA
Senior Manager of Technical Services
techservices@spectrumchemical.com

25.May.2016

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum Chemicals and Laboratory Products, Inc

Main Site: 14422 South San Pedro Street, Gardena, California, 90248, USA

Additional Sites: 13915 South Main Street, Los Angeles, California, 90061, USA

755 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

769 Jersey Avenue, New Brunswick, New Jersey, 08901, USA

7400 North Oracle Road, Suite 221, Tucson, Arizona, 85704, USA

has been assessed and registered by Intertek as conforming to the requirements of


ISO 9001:2008

The quality management system is applicable to

California and New Jersey sites: The manufacture and distribution of specialty fine chemicals, solutions, equipment, supplies and products for the laboratory, pharmaceutical, food, healthcare, cosmetic, fragrance, biotechnology, environmental and process industries.

Arizona site: Supporting Spectrum's two manufacturing facilities by: selecting and qualifying distributors of Laboratory and Safety Equipment; processing bids and quotes to generate new sales opportunities; sourcing bulk chemicals in support of bulk bids and quotes; assisting production operations through order expediting and IT infrastructure support.

Certificate Number: 94-316m-01
Initial Certification Date: 27 December 1994
Certificate Issue Date: 29 January 2016
Certificate Expiry Date: 14 September 2018



Calin Moldovean, President
Intertek Testing Services NA, Inc.
900 Chelmsford Street, Suite 301-3, Lowell, MA, USA



In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-ISO 9001-2008-ANAB-EN-LT-L-26.jun.15

Certificate of Registration

Intertek

This is to certify that the quality management system of

Spectrum China Ltd.

Building A20, No. 3802, Shengang Road, Songjiang District, Shanghai, China

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001: 2008

The quality management system is applicable to:

Provision of service of purchase, testing and sales for chemical products, repacking of non-hazardous chemical products.

Organization Code: 77762704-8
Certificate Number: 111310001-01
Certificate Issue Date: 17 November 2015
Certificate Expiry Date: 14 September 2018



014

A handwritten signature in black ink, appearing to read "Calin Moldovean".

*Authorised Signature: Calin Moldovean – President, Business Assurance
Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom
Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.*

In the issuance of this certificate, Intertek assumes no liability to any party other than to the client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone. The annual validity of the certificate can also be checked through the website <http://www.cnca.gov.cn> of CNCA in China.



The certificate remains the property of Intertek, to whom it must be returned upon request.



March 28, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that our USP, NF, FCC, EP, BP, JP, and food grade products are produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	<u>2246824</u>
Spectrum -Shanghai, China:	<u>3006174778</u>

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

A handwritten signature in cursive script that reads "Michelle Weston".

Michelle Weston
Quality Assurance Specialist



May 23, 2016

Certificate of cGMP

Dear Valued Customer:

Spectrum Chemicals and Laboratory Products certify that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
CA150	Calcium Hydroxide, Powder, USP, EP, BP, JP

Spectrum is an FDA registered and inspected drug establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632
Spectrum-New Brunswick, NJ: 2246824
Spectrum-Shanghai, China: 3006174778

Thank you for your interest with Spectrum products. Please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,

Michelle Weston
Quality Assurance Specialist



May 20, 2016

Re: Calcium Hydroxide, Powder, USP, EP, BP, JP- CA150

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding Bovine Spongiform Encephalopathy (BSE). Please be assured that the chemical

Calcium Hydroxide, Powder, USP, EP, BP, JP- CA150

is BSE/TSE free.

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 20, 2016

Re: Calcium Hydroxide, Powder, USP, EP, BP, JP- CA150

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfr. Corp. understand the concern regarding the presence of allergens in raw materials. Please be assured that the following chemical does not contain (Milk; Egg; Fish; Shellfish; Sulfur dioxide and sulfites at concentrations of more than 10 mg/kg or 10 mg/liter expressed as SO₂; Tree nuts; Wheat; Peanuts; Soy; Cereals containing Gluten; Celery).

Calcium Hydroxide, Powder, USP, EP, BP, JP- CA150

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.

Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature



May 24, 2016

Re: Calcium Hydroxide, Powder, USP, EP, BP, JP- CA150

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

We at Spectrum Chemical Mfg. Corp. understand the concern regarding Aflatoxins in raw materials. To the best of our knowledge, the product listed below is not contaminated with Aflatoxins. Aflatoxins are not used in production. The following product does not come in contact with Aflatoxins at any stage of production.

Calcium Hydroxide, Powder, USP, EP, BP, JP- CA150

If you have any further questions, please contact Tech Services at (310) 516-8000 Extension 5471, or by email at techservices@spectrumchemical.com.


Sincerely,

Darlene Dagdag-Lyudmirskiy
Technical Services
Spectrum Chemical Mfr. Corp.

This document has been produced electronically and is valid without a signature

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

A  **L**

Exp. Date: 03-31-2025

C **DANGER**

- Causes serious eye damage • Causes skin irritation • May cause respiratory irritation.
- Wear protective gloves, eye protection, face protection • Avoid breathing dust • Use only outdoors or in a well-ventilated area • Wash face, hands and any exposed skin thoroughly after handling.

FIRST AID: Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

KEEP FROM CHILDREN

SPECTRUM[®]

CA150 **D** **F** **2.5 KG**

Calcium Hydroxide

(Calcium Oxide, Hydrated; Slaked Lime)

E Powder

H U.S.P., E.P., B.P., J.P.

G CAS 1305-62-0

CAUTION: For manufacturing, processing or repacking.
Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

K **F.W. 74.09**

Ca(OH)₂

Assay 95.0-100.5%

MAXIMUM LIMITS

Acid-Insoluble Substances 0.5%

Carbonate To pass test

Heavy Metals 20 µg/g

Arsenic 4 ppm

Magnesium and Alkali Salts 4.0%

Chlorides 330 ppm

Sulfate 0.4%

Residual Solvents To pass test

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

M Lot No. 062233

G 14/E2GHS A **O**

SPECTRUM CHEMICAL MFG. CORP. Gardena, CA 90248 • New Brunswick, NJ 08901

- | | | |
|---|--|---|
| A Bar Code | F Size/Quantity | K Empirical Formula, Formula Weight and Technical Specifications Panel |
| B GHS Hazard Pictograms | G Chemical Abstracts Service (CAS) Registry Number | L Expiration Information |
| C Warning, Safety Data and Precautionary Information | H Caution Information | M Lot Number |
| D Product Catalog Number | I DOT Shipping Information | N Kosher Certified by Kosher Supervision of America (KSA). |
| E Item Name, Form, Grade | J Toll-Free 24-Hour Chemical Emergency Telephone Number | |
| O Storage Color Band | | |

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave.
New Brunswick, NJ 08901

732.214.1300

West Coast Facility:

14422 S. San Pedro St.
Gardena, CA 90248

310.516.8000

Item Number	CA150	Lot Number	2EB0114
Item	Calcium Hydroxide, Powder, USP, EP, BP, JP		
CAS Number	1305-62-0		
Molecular Formula	Ca(OH) ₂	Molecular Weight	74.09

Test	Specification		Result
	min	max	
ASSAY	95.0 - 100.5 %		97.8 %
ACID-INSOLUBLE SUBSTANCES		0.5 %	<0.5 %
CARBONATE	TO PASS TEST		PASSES TEST
HEAVY METALS		20 µg/g	<20 µg/g
ARSENIC (As)		4 ppm	<4 ppm
MAGNESIUM AND ALKALI SALTS		4.0 %	<4.0 %
CHLORIDE (Cl)		330 ppm	<330 ppm
SULFATE		0.4 %	<0.4 %
IDENTIFICATION	TO PASS TEST		PASSES TEST
CERTIFIED KOSHER			KOSHER
EXPIRATION DATE			31-JAN-2017
RESIDUAL SOLVENTS	TO PASS TEST		NO RESIDUAL SOLVENTS USED
APPEARANCE			WHITE POWDER
DATE OF MANUFACTURE			01-JAN-2015

Spectrum Chemical Mfg Corp
755 Jersey Avenue
New Brunswick 08901 NJ

Certificate of Analysis Results Certified By:




Mulbah F. Dwanah
Laboratory Supervisor
Spectrum Chemicals & Laboratory Products

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

January 26, 2016

RE: Lot Numbering System

Dear Valued Customer:

This letter is to inform you of Spectrum Chemicals and Laboratory Products' Lot Numbering System. The system is based on an alpha-numerical sequence which provides the month, year and location of production.

The lot numbering system utilized until 2010 is a sequence of **six characters**, two letters followed by four numbers. The first letter represents the year, for example, Y denotes 2009 and Z denotes 2010. The second letter represents the month and site, for example, A-L denotes January through December at Spectrum's Gardena, CA facility, while M-X denotes January through December at the New Brunswick, NJ facility. The following four numbers are sequentially assigned.

Example: ZI0928 = The 928th material produced in California in September 2010

The lot numbering system utilized for 2011 and forward, is a sequence of **seven characters**. The first character, a number, represents the production facility:

- 1 = Gardena, CA Facility
- 2 = New Brunswick, NJ Facility
- 3 = China Facility

The second character, a letter, represents the year. For example, A denotes 2011 and B denotes 2012. The third character, a letter, represents the month, with A denoting January and L denoting December. The following four numbers are sequentially assigned.

Example: 2AA0706 = The 706th material produced in New Jersey in January 2011

Thank you for your interest with Spectrum products. Please feel free to contact us at 310-516-8000 or via email at qualityassurance@spectrumchemical.com if we may be of further assistance.

Sincerely,



Michael Dang
Manager, GMP Compliance



Stability – Shelf Life Guidance

Product Covered: CA150, Calcium Hydroxide, Powder, USP, EP, BP, JP

Spectrum Chemical's manufacturing partner has assigned the following shelf life guidance for the product listed above.

The product, CA150, Calcium Hydroxide, Powder, USP, EP, BP, JP, is assigned a 24 months shelf life from date of manufacturing. The quality and integrity of the chemical depends on the handling and storage conditions. Please refer to the Safety Data Sheet for proper storage and handling procedures.

Adan R. Hernandez
Quality Control Manager

A handwritten signature in black ink that reads "Adan R. Hernandez".

Corporate Headquarters
769 Jersey Avenue
New Brunswick, NJ 08901-3605



KOSHER SUPERVISION OF AMERICA

בס"ד
Feb 08, 2016

The following product(s) prepared by the named company are certified kosher with the stated requirements:

Spectrum Laboratory Products, Inc.

S-0032

14422 S. San Pedro Street
Gardena CA 90248
USA

Product Name	Calcium Hydroxide, Powder, USP, EP, BP, JP - CA150
Brand	Spectrum
UKD-ID	KSAV3-D4P7E2
D/P/M	P
Symbol Required	KSA

Special Conditions

This certificate expires on
Feb 28, 2017

Rabbi Binyomin Lisbon
Kashrus Administrator

Placing the KSA logo on products not listed above constitutes an un-authorized use of the KSA symbol, which is a federally registered trademark.